

Course References

Andreas M, Piechotta V, Skoetz N, et al. Interventions for palliative symptom control in COVID-19 patients. *Cochrane Database Syst Rev*. 2021;8(8):CD015061. Published 2021 Aug 23. doi:[10.1002/14651858.CD015061](https://doi.org/10.1002/14651858.CD015061)

Barnes H, McDonald J, Smallwood N, Manser R. Opioids for the palliation of refractory breathlessness in adults with advanced disease and terminal illness. *Cochrane Database Syst Rev*. 2016;3(3):CD011008. Published 2016 Mar 31. doi:[10.1002/14651858.CD011008.pub2](https://doi.org/10.1002/14651858.CD011008.pub2)

Clarke TC, Black LI, Stussman BJ, Barnes PM, Nahin RL. Trends in the use of complementary health approaches among adults: United States, 2002-2012. *Natl Health Stat Report*. 2015;(79):1-16. Accessed March 7, 2023.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4573565/>

Clarke TC, Barnes PM, Black LI, Stussman BJ, Nahin RL. Use of Yoga, Meditation, and Chiropractors Among U.S. Adults Aged 18 and Over. *NCHS Data Brief*. 2018;(325):1-8. Accessed March 7, 2023. <https://www.cdc.gov/nchs/data/databriefs/db325-h.pdf>

Diaphragmatic Breathing Exercises & Benefits. Cleveland Clinic. Accessed February 17, 2023.

<https://my.clevelandclinic.org/health/articles/9445-diaphragmatic-breathing>

Hall WJ, Chapman MV, Lee KM, et al. Implicit Racial/Ethnic Bias Among Health Care Professionals and Its Influence on Health Care Outcomes: A Systematic Review. *Am J Public Health*. 2015;105(12):e60-e76. doi:[10.2105/AJPH.2015.302903](https://doi.org/10.2105/AJPH.2015.302903)

INSPIRED COPD. Default. Accessed February 17, 2023. <https://www.cfhi-fcass.ca/what-we-do/spread-and-scale-proven-innovations/inspired-copd>

Global Initiative for Chronic Obstructive Lung Disease. Pocket Guide to COPD Diagnosis, Management, and Prevention. Published 2020. Accessed February 17, 2023.

<http://goldcopd.org/wp-content/uploads/2016/12/wms-GOLD-2017-Pocket-Guide.pdf>

Henry TL, Jetty A, Petterson S, et al. Taking a Closer Look at Mental Health Treatment Differences: Effectiveness of Mental Health Treatment by Provider Type in Racial and Ethnic Minorities. *J Prim Care Community Health*. 2020;11:2150132720966403.

doi:[10.1177/2150132720966403](https://doi.org/10.1177/2150132720966403)

Lewith GT, Prescott P, Davis CL. Can a Standardized Acupuncture Technique Palliate Disabling Breathlessness: A Single-Blind, Placebo-Controlled Crossover Study. *Chest*. 2004;125(5):1783-1790. doi:[10.1378/chest.125.5.1783](https://doi.org/10.1378/chest.125.5.1783)

Mahler DA, Selecky PA, Harrod CG. Management of dyspnea in patients with advanced lung or heart disease: practical guidance from the American college of chest physicians consensus statement. *Pol Arch Med Wewn*. 2010;120(5):160-166. doi:[10.20452/pamw.915](https://doi.org/10.20452/pamw.915)

MCD Search. Accessed February 17, 2023. <https://www.cms.gov/medicare-coverage-database/search.aspx>

Minchom A, Punwani R, Filshie J, et al. A randomised study comparing the effectiveness of acupuncture or morphine versus the combination for the relief of dyspnoea in patients with advanced non-small cell lung cancer and mesothelioma. *European Journal of Cancer*. 2016;61:102-110. doi:[10.1016/j.ejca.2016.03.078](https://doi.org/10.1016/j.ejca.2016.03.078)

O'Driscoll BR, Howard LS, Earis J, Mak V. BTS guideline for oxygen use in adults in healthcare and emergency settings. *Thorax*. 2017;72(Suppl 1):ii1-ii90. doi:[10.1136/thoraxjnl-2016-209729](https://doi.org/10.1136/thoraxjnl-2016-209729)

Pain and Ethnicity | Journal of Ethics | American Medical Association. Accessed February 17, 2023. <https://journalofethics.ama-assn.org/article/pain-and-ethnicity/2013-05>

Pursed Lip Breathing: Technique, Purpose & Benefits. Cleveland Clinic. Accessed February 17, 2023. <https://my.clevelandclinic.org/health/articles/9443-pursed-lip-breathing>

Rocker GM, Verma JY. 'INSPIRED' COPD Outreach Program™: doing the right things right. *Clin Invest Med*. 2014;37(5):E311-E319. Published 2014 Oct 4. Accessed March 7, 2023. <https://cimonline.ca/index.php/cim/article/view/22011/17852>

Sinclair S, Chambers B, Davila C. The Invisible Millions: Caring for Latino Patients and Families during COVID-19. Published January 8, 2021. Accessed February 17, 2023. <https://www.capc.org/blog/the-invisible-millions-caring-for-latino-patients-and-families-during-covid-19/>

Wyatt R. Pain and Ethnicity. *AMA Journal of Ethics*. 2013;15(5):449-454. doi:[10.1001/virtualmentor.2013.15.5.pfor1-1305](https://doi.org/10.1001/virtualmentor.2013.15.5.pfor1-1305)

Additional Resources

Barbera L, Taylor C, Dudgeon D. Why do patients with cancer visit the emergency department near the end of life?. *CMAJ*. 2010;182(6):563-568. doi:[10.1503/cmaj.091187](https://doi.org/10.1503/cmaj.091187)

Caroci Ade S, Lareau SC. Descriptors of dyspnea by patients with chronic obstructive pulmonary disease versus congestive heart failure. *Heart Lung*. 2004;33(2):102-110. doi:[10.1016/j.hrtlng.2003.11.004](https://doi.org/10.1016/j.hrtlng.2003.11.004)

Centers for Disease Control and Prevention (CDC). Faststats: Leading causes of death. CDC website. Updated January 18, 2023. Accessed March 7, 2023. <https://www.cdc.gov/nchs/fastats/leading-causes-of-death.htm>

Clemens KE, Klaschik E. Dyspnoea associated with anxiety--symptomatic therapy with opioids in combination with lorazepam and its effect on ventilation in palliative care patients. *Support Care Cancer*. 2011;19(12):2027-2033. doi:[10.1007/s00520-010-1058-8](https://doi.org/10.1007/s00520-010-1058-8)

Currow DC, Smith J, Davidson PM, Newton PJ, Agar MR, Abernethy AP. Do the trajectories of dyspnea differ in prevalence and intensity by diagnosis at the end of life? A consecutive cohort study. *J Pain Symptom Manage*. 2010;39(4):680-690. doi:[10.1016/j.jpainsymman.2009.09.017](https://doi.org/10.1016/j.jpainsymman.2009.09.017)

Dyspnea. Mechanisms, assessment, and management: a consensus statement. American Thoracic Society. *Am J Respir Crit Care Med*. 1999;159(1):321-340. doi:[10.1164/ajrccm.159.1.ats898](https://doi.org/10.1164/ajrccm.159.1.ats898)

Edmonds P, Karlsen S, Khan S, Addington-Hall J. A comparison of the palliative care needs of patients dying from chronic respiratory diseases and lung cancer. *Palliat Med*. 2001;15(4):287-295. doi:[10.1191/026921601678320278](https://doi.org/10.1191/026921601678320278)

Fantoni M, Ricci F, Del Borgo C, et al. Symptom profile in terminally ill AIDS patients. *AIDS Patient Care STDS*. 1996;10(3):171-173. doi:[10.1089/apc.1996.10.171](https://doi.org/10.1089/apc.1996.10.171)

Global Initiative for Chronic Obstructive Lung Disease. Pocket Guide to COPD Diagnosis, Management and Prevention: A Guide for Healthcare Professionals. GOLD website. Revised 2020. Accessed March 7, 2023. <https://goldcopd.org/wp-content/uploads/2019/11/GOLD-Pocket-Guide-2020-final-wms.pdf>

Hall WJ, Chapman MV, Lee KM, et al. Implicit Racial/Ethnic Bias Among Health Care Professionals and Its Influence on Health Care Outcomes: A Systematic Review. *Am J Public Health*. 2015; 105(12):e60-e76. doi:[10.2105/AJPH.2015.302903](https://doi.org/10.2105/AJPH.2015.302903)

Ho SF, O'Mahony MS, Steward JA, Breay P, Buchalter M, Burr ML. Dyspnoea and quality of life in older people at home. *Age Ageing*. 2001;30(2):155-159. doi:[10.1093/ageing/30.2.155](https://doi.org/10.1093/ageing/30.2.155)

Joynt M, Train MK, Robbins BW, Halterman JS, Caiola E, Fortuna RJ. The impact of neighborhood socioeconomic status and race on the prescribing of opioids in emergency departments throughout the United States. *J Gen Intern Med*. 2013;28(12):1604-1610. doi:[10.1007/s11606-013-2516-z](https://doi.org/10.1007/s11606-013-2516-z)

Kamal AH, Liu H, Ruegg S, Carey EC, et al. Survival trends in palliative care patients with cancer: A Mayo Clinic 5 year review. *J Clin Oncol*. 2009;27(Suppl):abstract 9592. doi:[10.1200/jco.2009.27.15_suppl.9592](https://doi.org/10.1200/jco.2009.27.15_suppl.9592)

Kamal AH, Maguire JM, Wheeler JL, Currow DC, Abernethy AP. Dyspnea review for the palliative care professional: assessment, burdens, and etiologies. *J Palliat Med*. 2011;14(10):1167-1172. doi:[10.1089/jpm.2011.0109](https://doi.org/10.1089/jpm.2011.0109)

Kamal AH, Maguire JM, Wheeler JL, Currow DC, Abernethy AP. Dyspnea review for the palliative care professional: treatment goals and therapeutic options. *J Palliat Med*. 2012;15(1):106-114. doi:[10.1089/jpm.2011.0110](https://doi.org/10.1089/jpm.2011.0110)

Lewith GT, Prescott P, Davis CL. Can a standardized acupuncture technique palliate disabling breathlessness: a single-blind, placebo-controlled crossover study. *Chest*. 2004;125(5):1783-1790. doi:[10.1378/chest.125.5.1783](https://doi.org/10.1378/chest.125.5.1783)

Lynn J, Teno JM, Phillips RS, et al. Perceptions by family members of the dying experience of older and seriously ill patients. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. *Ann Intern Med*. 1997;126(2):97-106. doi:[10.7326/0003-4819-126-2-199701150-00001](https://doi.org/10.7326/0003-4819-126-2-199701150-00001)

Mahler DA. Opioids for refractory dyspnea. *Expert Rev Respir Med*. 2013;7(2):123-135. doi:[10.1586/ers.13.5](https://doi.org/10.1586/ers.13.5)

Minchom A, Punwani R, Filshie J, et al. A randomised study comparing the effectiveness of acupuncture or morphine versus the combination for the relief of dyspnoea in patients with advanced non-small cell lung cancer and mesothelioma. *Eur J Cancer*. 2016;61:102-110. doi:[10.1016/j.ejca.2016.03.078](https://doi.org/10.1016/j.ejca.2016.03.078)

Mitchell SL, Teno JM, Kiely DK, et al. The clinical course of advanced dementia. *N Engl J Med*. 2009;361(16):1529-1538. doi:[10.1056/NEJMoa0902234](https://doi.org/10.1056/NEJMoa0902234)

National Center for Complementary and Integrative Health, National Institutes of Health: Complementary, Alternative, or Integrative Health: What's In a Name? Updated April 2021. Accessed March 7, 2023. <https://www.nccih.nih.gov/health/complementary-alternative-or-integrative-health-whats-in-a-name>

National Center for Complementary and Integrative Health, National Institutes of Health: Cancer: In Depth. Updated October 2021. Accessed March 7, 2023. <https://www.nccih.nih.gov/health/cancer-and-complementary-health-approaches-what-you-need-to-know>

Nordgren L, Sörensen S. Symptoms experienced in the last six months of life in patients with end-stage heart failure. *Eur J Cardiovasc Nurs*. 2003;2(3):213-217. doi:[10.1016/S1474-5151\(03\)00059-8](https://doi.org/10.1016/S1474-5151(03)00059-8)

Norweg A, Collins EG. Evidence for cognitive-behavioral strategies improving dyspnea and related distress in COPD. *Int J Chron Obstruct Pulmon Dis*. 2013;8:439-451. doi:[10.2147/COPD.S30145](https://doi.org/10.2147/COPD.S30145)

Reddy SK, Parsons HA, Elsayem A, Palmer JL, Bruera E. Characteristics and correlates of dyspnea in patients with advanced cancer. *J Palliat Med*. 2009;12(1):29-36. doi:[10.1089/jpm.2008.0158](https://doi.org/10.1089/jpm.2008.0158)

Reuben DB, Mor V. Dyspnea in terminally ill cancer patients. *Chest*. 1986;89(2):234-236. doi:[10.1378/chest.89.2.234](https://doi.org/10.1378/chest.89.2.234)

Suzuki M, Muro S, Ando Y, et al. A randomized, placebo-controlled trial of acupuncture in patients with chronic obstructive pulmonary disease (COPD): the COPD-acupuncture trial (CAT). *Arch Intern Med*. 2012;172(11):878-886. doi:[10.1001/archinternmed.2012.1233](https://doi.org/10.1001/archinternmed.2012.1233)

Wahls SA. Causes and evaluation of chronic dyspnea. *Am Fam Physician*. 2012;86(2):173-182. Accessed March 7, 2023. <https://www.aafp.org/pubs/afp/issues/2012/0715/p173.html>

Updated: 3/7/2023