

Course References

- Candy B, Jones L, Larkin PJ, Vickerstaff V, Tookman A, Stone P. Laxatives for the management of constipation in people receiving palliative care. *Cochrane Database Syst Rev*. 2015;2015(5):CD003448. Published 2015 May 13. doi:[10.1002/14651858.CD003448.pub4](https://doi.org/10.1002/14651858.CD003448.pub4)
- Clarke TC, Black LI, Stussman BJ, Barnes PM, Nahin RL. Trends in the use of complementary health approaches among adults: United States, 2002-2012. *Natl Health Stat Report*. 2015;(79):1-16.
- Clarke TC, Barnes PM, Black LI, Stussman BJ, Nahin RL. Use of Yoga, Meditation, and Chiropractors Among U.S. Adults Aged 18 and Over. *NCHS Data Brief*. 2018;(325):1-8. Accessed March 7, 2023. <https://www.cdc.gov/nchs/data/databriefs/db325-h.pdf>
- Eating, Diet, & Nutrition for Constipation | NIDDK. National Institute of Diabetes and Digestive and Kidney Diseases. Accessed February 17, 2023. <https://www.niddk.nih.gov/health-information/digestive-diseases/constipation/eating-diet-nutrition>
- Liu Z, Yan S, Wu J, et al. Acupuncture for chronic severe functional constipation. *Ann Intern Med*. 2016;165(11):761-769. doi:[10.7326/M15-3118](https://doi.org/10.7326/M15-3118)
- Tarumi Y, Wilson MP, Szafran O, Spooner GR. Randomized, double-blind, placebo-controlled trial of oral docusate in the management of constipation in hospice patients. *J Pain Symptom Manage*. 2013;45(1):2-13. doi:[10.1016/j.jpainsymman.2012.02.008](https://doi.org/10.1016/j.jpainsymman.2012.02.008)

Additional Resources

- Attaluri A, Donahoe R, Valestin J, Brown K, Rao SS. Randomised clinical trial: dried plums (prunes) vs. psyllium for constipation. *Aliment Pharmacol Ther*. 2011;33(7):822-828. doi:[10.1111/j.1365-2036.2011.04594.x](https://doi.org/10.1111/j.1365-2036.2011.04594.x)
- Bell TJ, Panchal SJ, Miaskowski C, Bolge SC, Milanova T, Williamson R. The prevalence, severity, and impact of opioid-induced bowel dysfunction: results of a US and European Patient Survey (PROBE 1). *Pain Med*. 2009;10(1):35-42. doi:[10.1111/j.1526-4637.2008.00495.x](https://doi.org/10.1111/j.1526-4637.2008.00495.x)
- Brenner DM, Chey DM. An evidence-based review of novel and emerging therapies for constipation in patients taking opioid analgesics. *Am J Gastroenterol Suppl*. 2014; 2(1): 38–46. Accessed March 7, 2023. https://www.researchgate.net/profile/William-Chey/publication/273517236_An_Evidence-Based_Review_of_Novel_and_Emerging_Therapies_for_Constipation_in_Patients_Taking_Opioid_Analgesics/links/56b34b0a08ae156bc5fb173b/An-Evidence-Based-Review-of-Novel-and-Emerging-Therapies-for-Constipation-in-Patients-Taking-Opioid-Analgesics.pdf?sg%5B0%5D=started_experiment_milestone&origin=journalDetail&rtd=e30%3D

Choi YS, Billings JA. Opioid antagonists: a review of their role in palliative care, focusing on use in opioid-related constipation. *J Pain Symptom Manage*. 2002;24(1):71-90. doi:[10.1016/s0885-3924\(02\)00424-4](https://doi.org/10.1016/s0885-3924(02)00424-4)

Chey WD, Webster L, Sostek M, Lappalainen J, Barker PN, Tack J. Naloxegol for opioid-induced constipation in patients with noncancer pain. *N Engl J Med*. 2014;370(25):2387-2396. doi:[10.1056/NEJMoa1310246](https://doi.org/10.1056/NEJMoa1310246)

Costilla VC, Foxx-Orenstein AE. Constipation in adults: diagnosis and management. *Curr Treat Options Gastroenterol*. 2014;12(3):310-321. doi:[10.1007/s11938-014-0025-8](https://doi.org/10.1007/s11938-014-0025-8)

Cryer B, Katz S, Vallejo R, Popescu A, Ueno R. A randomized study of lubiprostone for opioid-induced constipation in patients with chronic noncancer pain. *Pain Med*. 2014;15(11):1825-1834. doi:[10.1111/pme.12437](https://doi.org/10.1111/pme.12437)

Di Palma JA, Smith JR, Cleveland Mv. Overnight efficacy of polyethylene glycol laxative. *Am J Gastroenterol*. 2002;97(7):1776-1779. doi:[10.1111/j.1572-0241.2002.05840.x](https://doi.org/10.1111/j.1572-0241.2002.05840.x)

Ford AC, Brenner DM, Schoenfeld PS. Efficacy of pharmacological therapies for the treatment of opioid-induced constipation: systematic review and meta-analysis. *Am J Gastroenterol*. 2013;108(10):1566-1575. doi:[10.1038/ajg.2013.169](https://doi.org/10.1038/ajg.2013.169)

Hawley PH, Byeon JJ. A comparison of sennosides-based bowel protocols with and without docusate in hospitalized patients with cancer. *J Palliat Med*. 2008;11(4):575-581. doi:[10.1089/jpm.2007.0178](https://doi.org/10.1089/jpm.2007.0178)

Higgins PD, Johanson JF. Epidemiology of constipation in North America: a systematic review. *Am J Gastroenterol*. 2004;99(4):750-759. doi:[10.1111/j.1572-0241.2004.04114.x](https://doi.org/10.1111/j.1572-0241.2004.04114.x)

Hjalte F, Berggren AC, Bergendahl H, Hjortsberg C. The direct and indirect costs of opioid-induced constipation. *J Pain Symptom Manage*. 2010;40(5):696-703. doi:[10.1016/j.jpainsymman.2010.02.019](https://doi.org/10.1016/j.jpainsymman.2010.02.019)

Holzer P. Opioids and opioid receptors in the enteric nervous system: from a problem in opioid analgesia to a possible new prokinetic therapy in humans. *Neurosci Lett*. 2004;361(1-3):192-195. doi:[10.1016/j.neulet.2003.12.004](https://doi.org/10.1016/j.neulet.2003.12.004)

Klaschik E, Nauck F, Ostgathe C. Constipation--modern laxative therapy. *Support Care Cancer*. 2003;11(11):679-685. doi:[10.1007/s00520-003-0525-x](https://doi.org/10.1007/s00520-003-0525-x)

Kumar L, Barker C, Emmanuel A. Opioid-induced constipation: pathophysiology, clinical consequences, and management. *Gastroenterol Res Pract*. 2014;2014:141737. doi:[10.1155/2014/141737](https://doi.org/10.1155/2014/141737)

Kyle G. Constipation and palliative care - where are we now?. *Int J Palliat Nurs*. 2007;13(1):6-16. doi:[10.12968/ijpn.2007.13.1.22776](https://doi.org/10.12968/ijpn.2007.13.1.22776)

Larkin PJ, Sykes NP, Centeno C, et al. The management of constipation in palliative care: clinical practice recommendations [published correction appears in *Palliat Med*. 2009 Jun;23(4):376]. *Palliat Med*. 2008;22(7):796-807. doi:[10.1177/0269216308096908](https://doi.org/10.1177/0269216308096908)

Latasch L, Zimmermann M, Eberhardt B, Jurna I. Aufhebung einer Morphin-induzierten Obstipation durch orales Naloxon [Treatment of morphine-induced constipation with oral naloxone]. *Anaesthesist*. 1997;46(3):191-194. doi:[10.1007/s001010050390](https://doi.org/10.1007/s001010050390)

Lever E, Cole J, Scott SM, Emery PW, Whelan K. Systematic review: the effect of prunes on gastrointestinal function. *Aliment Pharmacol Ther.* 2014;40(7):750-758. doi:[10.1111/apt.12913](https://doi.org/10.1111/apt.12913)

Librach SL, Bouvette M, De Angelis C, et al. Consensus recommendations for the management of constipation in patients with advanced, progressive illness. *J Pain Symptom Manage.* 2010;40(5):761-773. doi:[10.1016/j.jpainsymman.2010.03.026](https://doi.org/10.1016/j.jpainsymman.2010.03.026)

Mancini I, Bruera E. Constipation in advanced cancer patients. *Support Care Cancer.* 1998;6(4):356-364. doi:[10.1007/s005200050177](https://doi.org/10.1007/s005200050177)

Mardas M, Madry R, Stelmach-Mardas M. Link between diet and chemotherapy related gastrointestinal side effects. *Contemp Oncol (Pozn).* 2017;21(2):162-167. doi:[10.5114/wo.2017.66896](https://doi.org/10.5114/wo.2017.66896)

National Center for Complementary and Integrative Health, National Institutes of Health: Complementary, Alternative, or Integrative Health: What's In a Name? Updated April 2021. Accessed March 7, 2023. <https://www.nccih.nih.gov/health/complementary-alternative-or-integrative-health-whats-in-a-name>

National Center for Complementary and Integrative Health, National Institutes of Health: Cancer: In Depth. Updated October 2021. Accessed March 7, 2023. <https://www.nccih.nih.gov/health/cancer-and-complementary-health-approaches-what-you-need-to-know>

Pappagallo M. Incidence, prevalence, and management of opioid bowel dysfunction. *Am J Surg.* 2001;182(5A Suppl):11S-18S. doi:[10.1016/s0002-9610\(01\)00782-6](https://doi.org/10.1016/s0002-9610(01)00782-6)

Poulsen JL, Brock C, Olesen AE, Nilsson M, Drewes AM. Clinical potential of naloxegol in the management of opioid-induced bowel dysfunction. *Clin Exp Gastroenterol.* 2014;7:345-358. Published 2014 Sep 19. doi:[10.2147/CEG.S52097](https://doi.org/10.2147/CEG.S52097)

Self-help for severe constipation. Patient Education Office at The University of Texas MD Anderson Cancer Center. Updated January 1, 2023. Accessed March 7, 2023. <https://www.mdanderson.org/patient-education/Bowel-Management/Constipation-Self-Help-for-Severe-Constipation.pdf>

Stacewicz-Sapuntzakis M. Dried plums and their products: composition and health effects--an updated review. *Crit Rev Food Sci Nutr.* 2013;53(12):1277-1302. doi:[10.1080/10408398.2011.563880](https://doi.org/10.1080/10408398.2011.563880)

Stewart ML, Schroeder NM. Dietary treatments for childhood constipation: efficacy of dietary fiber and whole grains. *Nutr Rev.* 2013;71(2):98-109. doi:[10.1111/nure.12010](https://doi.org/10.1111/nure.12010)

Taba Taba Vakili S, Nezami BG, Shetty A, Chetty VK, Srinivasan S. Association of high dietary saturated fat intake and uncontrolled diabetes with constipation: evidence from the National Health and Nutrition Examination Survey. *Neurogastroenterol Motil.* 2015;27(10):1389-1397. doi:[10.1111/nmo.12630](https://doi.org/10.1111/nmo.12630)

Tamayo AC, Diaz-Zuluaga PA. Management of opioid-induced bowel dysfunction in cancer patients. *Support Care Cancer.* 2004;12(9):613-618. doi:[10.1007/s00520-004-0649-7](https://doi.org/10.1007/s00520-004-0649-7)

Thomas J, Karver S, Cooney GA, et al. Methylnaltrexone for opioid-induced constipation in advanced illness. *N Engl J Med.* 2008;358(22):2332-2343. doi:[10.1056/NEJMoa0707377](https://doi.org/10.1056/NEJMoa0707377)

Tuteja AK, Biskupiak J, Stoddard GJ, Lipman AG. Opioid-induced bowel disorders and narcotic bowel syndrome in patients with chronic non-cancer pain. *Neurogastroenterol Motil.* 2010;22(4):424-e96. doi:[10.1111/j.1365-2982.2009.01458.x](https://doi.org/10.1111/j.1365-2982.2009.01458.x)

Twycross R, Sykes N, Mihalyo M, Wilcock A. Stimulant laxatives and opioid-induced constipation. *J Pain Symptom Manage.* 2012;43(2):306-313. doi:[10.1016/j.jpainsymman.2011.12.002](https://doi.org/10.1016/j.jpainsymman.2011.12.002)

Volicer L, Lane P, Panke J, Lyman P. Management of constipation in residents with dementia: sorbitol effectiveness and cost. *J Am Med Dir Assoc.* 2005;6(3 Suppl):S32-S34. doi:[10.1016/j.jamda.2005.03.020](https://doi.org/10.1016/j.jamda.2005.03.020)

Updated: 3/7/2023